

## ARTICULATED MAGNET ASSEMBLY AND KIT

This application claims the benefit of Provisional Application No. 60/234,425 filed September 21, 2000 for "Articulated Magnet Assembly Kit" by Eric Melzer, incorporated by reference in its entirety herein.

### BACKGROUND OF THE INVENTION

The present invention relates to two-dimensional action figures. In particular, the present invention relates to a game kit having articulatable, posable magnetic action characters using word objects and accessories to create situations which teach or have comic effect.

Magnets are commonly used to affix objects to metallic devices. For instance, papers, pictures, and the like are often attached to a metal refrigerator using magnets. The magnets themselves are often given artistic features by attaching various artistic objects and by decorating, or shaping them to resemble various objects (e.g. vegetables, fruit, picture frames, etc.). Indeed, magnets have become an end to themselves, and are used as decorations and games.

In one specific example, flexible plastic magnets have been used to teach various language skills as well as for recreational purposes. Each individual magnet has a word or word-fragment displayed on one surface. The user attaches the magnets to any ferric surface, and arranges them in some given order. Various poems, epitaphs, or other desirable phrases can be constructed by changing the order of the magnets. This concept has also been used to teach the proper order and meaning of various parts of speech and also to illustrate the humorous and nonsensical effects of readily randomly changing one or more words in a sentence or phrase. However, nothing is provided to "illustrate" the effects of the words (humorous or otherwise).

Action figures which utilize movable joints are also known. For example, U.S. Pat. No's. 2,365,098 and 5,993,218 (incorporated by reference in their entirety herein) disclose cardboard figures having a movable joint. However,

the figures disclosed in U.S. Pat. No. 2,365,098 and 5,993,218 are limited in the number of lifelike poses which can be simulated (e.g., leaping) since the figures must be supported by the ground. Articulation of the figures is also limited. Thought or speech for the figures cannot be shown and accessory tools (e.g., fishing poles, weapons) cannot be easily attached or associated with the figure to provide a variety of situations in which the figure can be placed.

Prior magnetically applied characters such as "Dressing David," manufactured by Caryco Magnets, lack joints that articulate leaving the consumer limited in their ability to create comical situations with the figures. Without hinged or articulating joints the figures are stagnant and lifeless.

Given the limitations of the prior art, a need exists in the art for posable characters which can create lifelike movement and create interactive situations through poses and implied speech or thought.

#### BRIEF SUMMARY OF THE INVENTION

The invention is a toy character comprising an artistic layer formed of a sheet material. The artistic layer includes a torso having a plurality of articulation points and a plurality of appendages. Each appendage is pivotally connected to the torso at one of the torso articulation points such that each appendage may be pivoted with respect to the torso. At least one magnet is fixed to the artistic layer.

#### BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a plan view of a first character object.

FIG. 1A is a partial cross-sectional view of the character object as taken along lines 1A-1A of FIG. 1.

FIG. 1B is a perspective view of one embodiment of a pivot fastener.

FIG. 1C is a cross-sectional view of one embodiment of a pivot fastener.



5

## DETAILED DESCRIPTION

10

15

20

25

More specifically, the life-like characteristic of the character object 12 is furthered by the use of articulation points 14F-14M which are used to segment the appendages so that each appendage segment can be individually articulated. Articulation points 14A-14M can be created using any number of connection systems known in the art, such as rivets, snaps or screws, secured at overlapping portions of each appendage (or member). Alternatively, articulation points 14A-M may utilize a magnetic pivot fastener, as illustrated and described below with respect to FIGs. 1B-1F. Although thirteen articulation points 14A-14M are illustrated with respect to the character object 12 any number of articulation points (generally referred to by reference number "14") may be inserted to provide varying levels of articulation of the character object 12. It should be noted that throughout the specification, like elements of different character objects (e.g., articulation points 14A-14M) are indicated by like reference numbers.

The first character object 12 artistically depicts a "Kung Fu" type cartoon character facing the user. As will be noted with respect to the embodiments described below, each of the various character objects may be presented so as to face any direction with respect to the user, and have any number of articulation points which allow the character object to simulate the movement of a human form. The invention contemplates other character objects depicting other real or imaginary animate forms (e.g. dogs, cats, mice, dinosaurs, space aliens, gnomes, etc.) which may be articulated by disposing articulation points so as to mimic the joints in the depicted form and articulating them into various poses.

As shown in FIG. 1A and exemplified using the first character object 12, the objects of the present inventive assembly 10 are placed on a ferric surface 33A (such as a refrigerator). In one embodiment, each object is formed by applying an artistic layer 33B to a magnetic layer 33C. The artistic layer 33B may be formed of a sheet material such as paper, plastic, lithographic sheets, or other material which is lightweight, durable and can receive and retain printing on its outer

surface. In one embodiment, the artistic layer 33B is bonded to the magnetic layer 33C using a pressure sensitive adhesive 34, or other bonding method such as would be known to a person skilled in the art. The magnetic layer 33C releasably fixes the character object (e.g., first character object 12) in place on the ferric surface 33A by magnetic attraction. The magnetic layer 33C may be flexible or stiff depending upon the desired performance characteristics of the object being manufactured. Since the character object 12 is magnetically fixed, it can be easily repositioned many times or in any position allowed by the articulation points 14. This ease of positioning is in contrast to previous non-magnetic systems which had articulation mechanisms. These systems would not fix the object in place since repositioning the prior systems would cause the fixing mechanism to wear and gradually fail (e.g., adhesives).

In the present invention, the character objects can be repositioned any number of times by the user to create a large number of varying poses. Additionally, the user may place the character objects in different situations by juxtaposing multiple character objects or other objects (e.g., accessory objects ) next to the character objects (described further below). As mentioned above with respect to the embodiment illustrated in FIG. 1A, the various objects (e.g., accessory, character, word bubble and word which can be used in any combination or number) of the inventive assembly 10 utilize the magnetic layer 33C to maintain the position of the individual objects on the ferric surface 33A. Another advantage of using magnetic attraction to position the various objects is that objects may be placed on top of each other, and will still maintain their spacial position due to magnetic attraction to the ferric surface 33A.

In an alternate embodiment for articulated objects (e.g., first character object 12), no magnetic layer 33C is necessary. Instead, the artistic layer 33B (e.g., sheet material) is mounted onto any base material (e.g., chip board or paperboard). The objects utilize magnetic pivot fasteners, an example of which is

illustrated at 100 in FIG. 1B, to both articulate the characters as well as maintain the posed position of the characters. The magnetic pivot fastener 100 includes an annular casing 102 and a series of top and bottom annular collars 104A and 104B disposed about the plastic casing 102. A tab 106 is optionally disposed at one  
 5 longitudinal end of the annular casing 102 and an aperture 108 extends into the annular casing 102 from the opposite longitudinal end along a longitudinal axis 110 of the annular casing 102. A permanent magnet 112 is press fit and/or is glued into the aperture 108.

The annular casing 102, top and bottom annular collars 104 and tab  
 10 106 are poly-vinyl chloride (PVC), or some other polymeric material injection molded so as to form one integral piece with the aperture 108. Preferably the magnet 112 is substantially the same size and shape as the aperture 108 in order to assure that the magnet 112 is securely fixed within the plastic casing 102. Preferably, the magnet 112 has a diameter of approximately 0.3 inches and a length  
 15 of approximately 0.3 inches. The magnet 112 is preferably disposed entirely within the aperture 108.

The outer diameter of the plastic casing 102 is preferably approximately 0.375 inches. As shown in the cross-sectional view illustrated by FIGs. 1C and 1D, top and bottom annular collars 104A and 104B extend radially  
 20 outward proximate to each longitudinal end of the annular casing 102 from an outer surface 113 on the annular casing 102. The collars 104A and 104B preferably extend at an angle of approximately 30 degrees (arrow 114) from the outer surface 113, and longitudinally along the outer surface 113 for approximately 0.1 inches (indicated by arrows 116). A distance of preferably approximately 0.2 inches  
 25 (indicated by arrows 118) separates collars 104A and 104B. Collars 104A and 104B provide a means for interconnecting the articulated pieces (illustrated using torso 15 and first leg appendage 16). The magnetic pivot fastener 100 allows each

articulated member (e.g., torso 15 and first leg appendage 16) to pivot with respect to the other member.

To assemble an object, the user grasps the tab 106 of the magnetic pivot fastener 100 and inserts the pivot fastener 100 through a hole pre-formed at an articulation point in two (or possibly more) appendages and/or torso members. Additionally, other objects (such as accessory objects) may have articulation points which can be secured using pivot fasteners. Any two pieces (i.e., articulated members, torsos or objects) can be connected together, creating a “modular” type assembly which gives the user multiple options as to which pieces of a given character are to be joined. The magnetic pivot fastener 100 can be universal across any objects (e.g., character objects) included with the assembly and can therefore be used to join pieces from any of the characters together (i.e., the head from one character object can be attached to the body of a different character object). The modular nature of this embodiment also allows the user to disassemble and reassemble objects so as to create multiple variations for each object. It should be understood that including tab 106 as part of pivot fastener 100 is optional. Tab 106 is included so as to allow the operator to better grasp pivot fastener 100.

Additionally, due to the inclusion of magnet 112 in aperture 108 the magnetic pivot fastener 100 provides magnetic attraction to any ferric surface, and eliminates the need for a separate magnetic layer (as described with respect to FIG. 1A above). The magnetic pivot fastener 100 can also be easily inserted and removed from articulation points, allowing assembly and disassembly of the character object for storage or creating new objects. The integral construction of the pivot fastener 100 also eliminates excess parts which could be lost during use and allows for an efficient manufacturing process of the inventive assembly 10, while still providing the same repositionable characteristics to the objects as was described previously with respect to the magnetic layer illustrated in FIG. 1A.



As illustrated in FIG. 1E, each annular collar 104A on the top end of the plastic casing 102 and each annular collar 104B on the bottom end of the plastic casing 102 preferably extends for approximately 60 degrees (arrows 120) about the outer surface 113 of the plastic casing 102. Preferably, three annular collars 104A are disposed about the top end (one longitudinal end) and spaced equidistant from each other. Three annular collars 104B are disposed about the bottom end (the other longitudinal end) and spaced equidistant from each other. The resulting configuration provides a 60 degree spacing between the collars 104A on the top end, and a 60 degree spacing between the collars 104B at the bottom end. Additionally, the collars on the top end 104A are offset from the collars on the bottom end 104B such that where a space is provided between collars on the top end 104A (e.g., from 60 degrees to 120 degrees), a collar is disposed at the bottom end at the same annular position (e.g., from 60 degrees to 120 degrees), and vice versa. This particular configuration allows the pivot fasteners 100 to interconnect the articulated appendages and torsos (or collectively "members") of the objects without damaging the materials forming the members (typically printed lithographic sheets mounted on chipboard). Each member in the magnetic pivot fastener embodiment illustrated at 100, in FIGs. 1B-1F is typically approximately 0.08 inches thick. It should be noted that although the invention describes a separate sheet used as the artistic layer, printing the artistic layer directly onto the magnet or base material is also contemplated.

In yet another alternate embodiment of the inventive assembly 10, suction cups can be secured to the artistic layer 33B, eliminating the need for the magnetic attraction and allowing the objects of the inventive assembly 10 to be secured to non-ferric surfaces. Utilizing suction cups maintains the capability of the objects to be articulated by the operator into a large number of varying poses.

FIG. 2 shows a disassembled view of the first character object 12, illustrating the articulation points 14A-14M and the multiple segments used to form the first and second leg appendages 16 and 17 as well as the first and second arm appendages 18 and 19. FIG. 2 additionally illustrates how the articulated objects may be provided to the user in "reattachable" form. By providing the segments of each object in an unassembled form, the user can make a game of assembling the objects, even mixing segments from different objects to arrive at their own object variations.

The ability of the user to articulate the character objects into various positions is illustrated in FIGs. 3A and 3B, and exemplified using a second character object 34. The second character object 34 has been placed into a different pose in FIG. 3A from that shown in FIG. 3B which, when viewed sequentially, (e.g., in video or computer form) could be construed as movement (e.g., fighting movements or a dance). Arm appendages 18 and 19 and leg appendages 16 and 17, have been repositioned and internally articulated (e.g., the lower and upper leg portions 24A, 22A and the foot 26A which make up the first leg appendage 16 have been repositioned from the pose shown in FIG. 3A to that shown in FIG. 3B). It should be noted that the same reference numbers are used for the like elements making up the first character object 12 and second character object 34.

FIG. 4 shows the first character object 12 of the inventive assembly 10. In addition, the first word bubble object 11 has been placed proximate the first character object 12 near the head appendage 20 of the first character object 12 so as to imply the character object 12 is speaking. This technique is known and applied in many comic applications (e.g. newspaper comic strips). Although the first word bubble object 11 is shown as having a generally circular shape with a triangular point 11A extending from a circular portion 11B, a person skilled in the art would realize that other shapes may be used to achieve the same effect (e.g. multiple increasing sized circles implying "thoughts" of the character object).



34). While the same number of articulation points and articulatable members are shown, it should be understood that the number of articulation points and articulatable members can vary without departing from the spirit and scope of the invention. An exploded view of the animal character object 35B is shown in FIG.

5 7 illustrating articulation points 14A-14M which allow the user to position the character object 35B into a variety of poses. As discussed previously, using reattachable magnetic pivot fasteners would allow pieces from different character objects to be, for example, the head appendage 20 from animal character object 35B (a monkey) may be put on the torso 15 of first character object 12 (Kung Fu  
10 fighter), as a creative game or for a comedic effect.

A dog character object 36 is illustrated in disassembled form in FIG.

7A. Again, similar to the human shaped character objects and animal shaped character objects, the dog character object 36 is posed using articulation points 14A-14N. In addition to the head appendage 20, torso 15 and first and second leg  
15 appendages 16 and 17, the dog character object includes third and fourth leg appendages 37A and 37B, along with a tail appendage 37C. As previously discussed, the dog character object 36 can utilize a magnetic layer mounted to each member, or alternatively can utilize reattachable magnetic pivot fasteners to mount it to a ferric surface.

20 ~~FIG. 8~~ The second character object 34 is shown posed with the first character object 12 in FIG. 8. By placing two character objects 34 and 12 next to each other and articulating them into different poses, a situational interaction can be suggested between the second and third character objects 34 and 12. For example, it could be implied that the character objects 34 and 12 are fighting, dancing, singing, or any other number of actions. By placing word bubble objects  
25 11 next to each of the character objects 34 and 12, it is implied that the character objects 34 and 12 are speaking to each other. The speech of each character is provided by the user. This can be accomplished by writing messages 11C on the

erasable surface of the word bubble objects 11, or placing word objects 32 on the word bubble objects 11, as shown in FIG 9. The word objects 32 can be supplied with assembly 10 or provided separately. The user implies situational interaction between first and second character objects and 42 (here depicted as Kung Fu fighters) by placing word objects 32 inside the word bubble objects 11 to provide speech (or thought) to the character objects 40 and 42.

The character objects can be artistically designed to reflect certain situational interactions. As illustrated in FIGs. 1, 2, 3A, 3B, 4, 4A, 5, 8 and 9, Kung Fu characters and their associated weapons can be included as part of the inventive kit 10, while in FIG's 6 and 7, monkey characters along with bananas and other props may be included as part of an inventive kit 10. In one alternate embodiment, a creative group might design an entire group of articulated comic or folkloric characters. For example, character objects depicting Midwestern characters Ole, Toivo and Lena which might come in a package with situation magnets and props (e.g., an ice fishing hole and ice fishing poles to create an ice fishing situation). The consumer could write dialogue above the character's heads in the erasable magnetic cartoon speech bubbles (or use word objects with or without speech bubbles) to create comics about the region they live in. Thus, a full comic or educational situation can be created by the user from an unlimited variety of character, accessory, word bubble and word objects included in the inventive assembly 10.

Any number and variety of accessory objects 13 can be provided as part of the inventive assembly 10 as further illustrated in FIG. 10. Third and fourth character objects 38 and 40 can be articulated and juxtaposed with accessory objects 13 so that it seems they are using the accessory objects 13. As is illustrated, the accessory objects 13 can include basketball hoops and balls with character objects 38 and 40 artistically depicting and articulated as basketball players in a basketball game. Previously depicted situations such as Kung Fu fighters can

5

10

15

20

25

could be entered in a website where a weekly contest is held for the most clever political cartoon. Character objects could also be used as creative business cards.

Corporations could use various embodiments of the inventive articulated magnetic figure assemblies 10 for the promotion of their products. For example, a motion picture studio might make various embodiments of a film's lead characters (e.g., Jackie Chan or the animated characters from South Park) to help create interest around that film or television show and its characters on a day to day basis in consumers' homes.

Additionally, consumers can send digital images of themselves or other familiar persons or subjects, such as a family pet, taken on digital cameras to a company which then produces character objects from likenesses of those images. Using the additional character objects, accessory objects erasable word bubble objects and word objects together with the character objects of themselves, users can create comics of themselves and their friends and family or they can communicate simple messages to each other (e.g., "Please take the garbage out when you get home"). In this embodiment using pictures (e.g., digitized photographs), the character object created of the user might be full body or instead might simply be their head applied to any of a number of real or fictional characters (e.g., The President of the United States or Superman). A fifth character object 50 is shown in the exploded view of FIG. 13 illustrating this embodiment of the inventive concept. To create the fifth character object 50 a photograph is used as the artwork on the artistic layer 33B (as described with respect to FIG. 1A). Articulation points 14A-14M are disposed at the joints of the person in the photograph allowing articulation of the character object 50. Since the character object 50 can be articulated at the points where a human body is jointed, the user can position the fifth character object 50 (a picture of an actual person) into various life-like or comical situations and poses as described previously. Word bubble objects and word objects can then be added to imply speech by the character object

50. In this fashion, the user can position the character object of someone they know (who is depicted on the artistic layer) of the character object 50 into various humorous or educational situations.

Although various embodiments of character, word, word bubble and accessory objects have been illustrated and described above, it should be noted that other embodiments including various characters are contemplated. The inventive assembly 10 has the flexibility to allow the user to create a broad range of educational or comic situations by varying the artistic layer of the different objects.

The invention is also a gaming system which can be provided in kit form. In one embodiment shown in FIG. 14, the kit includes a carrying case 60 into which one or more objects (e.g., character objects, accessory objects, word bubble objects, and word objects), as well as magnetic pivot fasteners may be inserted. The objects may be provided in assembled or disassembled form. The objects may be removed from the case 60 and deployed individually or juxtaposed with each other. While case 60 is illustrated as being a hinged metal box, other styles of carrying cases (such as plastic bags) are contemplated. The character objects can be articulated so as to be disposed in different poses by the user. These character objects can be used in conjunction with each other, with accessory objects, with word bubble objects and with word objects. Using the word bubble objects and/or the word objects creates a comic effect in which the user can position the character objects in a variety of poses and place word objects so that it appears the character object is speaking, being spoken to or being described. Accessory objects can be used to further the effect of a comic or educational situation of the character object. The order and meaning of the situation can be changed by reordering the word objects so as to create a new text message or by articulating the character objects into different poses or positions. The character objects can be mythical or imagined characters or alternatively may be real people. A photograph of a person may be



converted into an articulated character object. All the objects of the kit may be magnetically adhereable to a ferric supporting surface.

- Although the present invention has been described with reference to preferred embodiments, workers skilled in the art will recognize that changes
- 5 may be made in form and detail without departing from the spirit and scope of the invention.

TOPTOP 20250304